

Total No. of Printed Pages—7

1 SEM TDC CHMH (CBCS) C 2

2021

(Held in January/February, 2022)

CHEMISTRY

(Core)

Paper : C-2

(**Physical Chemistry**)

Full Marks : 53

Pass Marks : 21

Time : 3 hours

*The figures in the margin indicate full marks
for the questions*

1. Choose the correct answer from the following : 1×3=3

(a) At 27 °C, the kinetic energy of two moles of N₂ is

(i) 7482.6 J

(ii) 3741.3 J

(iii) 2494.2 J

(iv) 0

- (b) With the increase in temperature, the viscosity of a gas
- (i) increases
 - (ii) decreases
 - (iii) at first increases then decreases
 - (iv) remains same
- (c) Out of the four liquids given below, the one having lowest vapour pressure at 25 °C is
- (i) carbon tetrachloride
 - (ii) benzene
 - (iii) chloroform
 - (iv) water

2. Answer any *four* from the following questions : 2×4=8

- (a) Explain why we have to define the heat capacity of gases under constant pressure and constant volume condition.
- (b) Write the SI unit of van der Waals' constants *a* and *b*. Mention the physical significance of *a*.

- (c) At what temperature the root mean square speed of nitrogen at 27°C would be tripled?
- (d) Show that in face-centered cubic lattice 74% space is occupied by lattice points.
- (e) Explain why an aqueous solution of Na_2CO_3 is basic in nature.

UNIT—I

3. Answer any *two* from the following questions : 7×2=14

(a) (i) Write kinetic gas equation. From this equation, derive Boyle's law. 1+2=3

(ii) Derive the relation between mean free path and coefficient of viscosity of a gas. Explain the effect of temperature on the viscosity of a gas. 3+1=4

(b) (i) What is equipartition of energy? In the light of it, calculate the total energy in joules associated with one mole of the following molecules at 27°C : 1+1½+1½=4

(1) O_2

(2) H_2O

- (ii) Calculate the volume of 5 moles of methane at 50 atmospheric pressure and 0°C . At this temperature and pressure, the value of Z is 0.75. 2
- (iii) An ideal gas can never be liquefied. Justify. 1
- (c) (i) What is critical phenomenon? Derive the expression for the critical constants of a gas using van der Waals' equation of state. $1+3=4$
- (ii) For one mole of a gas, express van der Waals' equation in the virial form. 3

UNIT—II

4. Answer any one from the following questions : 5
- (a) Define the term 'surface tension'. What is its SI unit? Describe the laboratory method for determining the surface tension of a liquid. $1+1+3=5$
- (b) (i) The time of flow of water through Ostwald viscometer is 1.48 minutes. For the same volume of a liquid of density 0.792 g/ml , it is 2.42 minutes. Find the viscosity of

the liquid relative to that of water and also absolute viscosity at 20 °C. Density and viscosity of water at 20 °C are 0.995 g/ml and 10.02 millipoise respectively. $2+2=4$

- (ii) Define coefficient of viscosity of a liquid. 1

UNIT—III

5. Answer any *two* from the following questions : $4\frac{1}{2}\times 2=9$

- (a) (i) Derive an expression showing the relation between the spacings of the lattice planes and the wavelength of the X-rays used to study the crystal system. 3

- (ii) Draw (110) plane in a cubic crystal. $1\frac{1}{2}$

- (b) (i) Discuss Schottky defects and Frenkel defects of crystal giving examples. 3

- (ii) Calculate the number of atoms present in a face-centered cubic unit cell. $1\frac{1}{2}$

- (c) (i) What are liquid crystals? Write two important properties each of nematic and smectic liquid crystals. $1+1+1=3$
- (ii) The structure of CsCl is different from that of NaCl though both have the similar formula. Give reason. $1\frac{1}{2}$

UNIT—IV

6. Answer any two from the following questions : $7 \times 2 = 14$

(a) (i) What is salt hydrolysis? Prove that the aqueous solution of a salt formed by a strong acid and a weak base is acidic in nature. $1+3=4$

(ii) Write any one difference between solubility and solubility product of calcium phosphate. $1+2=3$

(b) (i) Deduce Henderson equation for acidic buffer and basic buffer solution. $2+2=4$

(ii) Determine the pH of a solution obtained by mixing equal volumes of $0.015\text{ N NH}_4\text{OH}$ and $0.15\text{ N NH}_4\text{NO}_3$ solutions. (pK_b of NH_4OH is 4.74) 3

- (c) (i) What are acid-base indicators? Describe Ostwald theory of indicators taking the example of phenolphthalein. $1+3=4$
- (ii) Explain why methyl orange indicator is not used as indicator in the titration between a strong acid with a strong base. $1\frac{1}{2}$
- (iii) Calculate the pH of $N/50$ HCl solution. $1\frac{1}{2}$

★ ★ ★